

CONFIDENTIAL

Reference No.

Approved For Release 2002/05/06 : CIA-RDP78-03985A001200030013-8

Security Information

7003-7148


Office Memorandum • UNITED STATES GOVERNMENT

m 4454

TO : Chief, Logistics Office
 ATTN : Chief, Supply Division
 FROM : Assistant Director for Communications

DATE: MAY 8 1953

25X1A SUBJECT: Air Conditioning



1. It is requested that the shop and office space of the Test and
 25X1A Evaluation Section at the be air conditioned for the
 following reasons:


(a) During hot and humid weather lost time will be decreased and personnel efficiency increased.

(b) The shock hazard will be reduced while testing equipment employing high voltages because there would be less moisture on the skin of personnel.

(c) Perspiration has a corrosive effect on some metal surfaces of equipment. This will be reduced in an air conditioned atmosphere.

(d) High humidity has an adverse effect upon desiccants used when packing equipment.

(e) Higher accuracy may be expected in crystal processing and in the testing and adjusting of electronic equipment in a conditioned atmosphere.



25X1A

Deputy

Document No.	011
No Change in Class.	<input type="checkbox"/>
<input type="checkbox"/> Declassified	
Class. Exempt	TS S C
Auth: 1.1.2	
Date: OCT 19 1978	By: 013

Approved For Release 2002/05/06 : CIA-RDP78-03985A001200030013-8

CONFIDENTIAL
Security Information